

1 APR::SockAddr - Perl API for XXX

1.1 Synopsis

```
use APR::SockAddr ();
```

META: to be completed

1.2 Description

META: to be completed

1.3 API

`APR::SockAddr` provides the following functions and/or methods:

1.3.1 *equal*

META: Autogenerated - needs to be reviewed/completed

See if the IP addresses in two APR socket addresses are equivalent. Appropriate logic is present for comparing IPv4-mapped IPv6 addresses with IPv4 addresses.

```
$ret = $addr1->equal($addr2);
```

- **arg1: \$addr1 (APR::SockAddr)**

One of the APR socket addresses.

- **arg2: \$addr2 (APR::SockAddr)**

The other APR socket address.

- **ret: \$ret (integer)**

The return value will be non-zero if the addresses are equivalent.

1.4 See Also

`mod_perl 2.0` documentation.

1.5 Copyright

`mod_perl 2.0` and its core modules are copyrighted under The Apache Software License, Version 1.1.

1.6 Authors

The mod_perl development team and numerous contributors.

Table of Contents:

1	APR::SockAddr - Perl API for XXX	1
1.1	Synopsis	2
1.2	Description	2
1.3	API	2
1.3.1	equal	2
1.4	See Also	2
1.5	Copyright	2
1.6	Authors	3